Ubuntu 18.04: Nginx

Installation

Immer neuste (stabile) Version über PPA

> https://launchpad.net/~nginx

```
# add-apt-repository ppa:nginx/stable
# apt-get update
# aptitude install nginx
```

Version aus der Distribution

```
# apt-get update
# aptitude install nginx
```

Prüfung

```
# service nginx status
● nginx.service - A high performance web server and a reverse proxy server
   Loaded: loaded (/lib/systemd/system/nginx.service; enabled; vendor
preset: enabled)
   Active: active (running) since Sat 2019-04-06 14:50:15 CEST; 9min ago
     Docs: man:nginx(8)
  Process: 8408 ExecStop=/sbin/start-stop-daemon --quiet --stop --retry
QUIT/5 --pidfile /run/nginx.pid (code=exited, status=0/SUCCESS)
  Process: 8826 ExecStart=/usr/sbin/nginx -g daemon on; master_process on;
(code=exited, status=0/SUCCESS)
  Process: 8820 ExecStartPre=/usr/sbin/nginx -t -q -g daemon on;
master_process on; (code=exited, status=0/SUCCESS)
 Main PID: 8828 (nginx)
    Tasks: 2 (limit: 2319)
   CGroup: /system.slice/nginx.service
           ├─8828 nginx: master process /usr/sbin/nginx -g daemon on;
master_process on;
           └─8830 nginx: worker process

Apr 06 14:50:15 xxx systemd[1]: Starting A high performance web server and a
reverse proxy server...
Apr 06 14:50:15 xxx systemd[1]: nginx.service: Failed to parse PID from file
/run/nginx.pid: Invalid argument
Apr 06 14:50:15 xxx systemd[1]: Started A high performance web server and a
reverse proxy server.
```

```
# netstat -anptu
Aktive Internetverbindungen (Server und stehende Verbindungen)
Proto Recv-Q Send-Q Local Address           Foreign Address         State
PID/Program name
tcp        0      0 0.0.0.0:80              0.0.0.0:*               LISTEN
8828/nginx: master
tcp6       0      0 :::80                   :::*                    LISTEN
8828/nginx: master
```

Konfiguration

From:
https://wiki.sebastianhetzel.net/ - **Sebastians IT-Wiki**

Permanent link:
https://wiki.sebastianhetzel.net/ubuntu:nginx_webserver?rev=1554556009

Last update: **2019/04/06 13:06**